-Poster Session-

Held online, March 4, 2021

P01 Half-Magnetic Topological Insulator with Magnetization-Induced Dirac Gap at a Selected Surface

- R. Lu^{1#}, S. Kumar^{2#}, Y. Wang^{1#}, M. Zeng¹, Y. Hao¹, X. Ma¹, Z. Hao¹,
- K. Zhang², W. Mansuer², C. Liu¹, K. Deng¹, K. Shimada², E. F. Schwier^{2*},
- C. Liu^{1*}, Q. Liu^{1*}, C. Chen^{1*}
 - 1 Shenzhen Institute for Quantum Science and Engineering (SIQSE) and Department of Physics, Southern University of Science and Technology (SUSTech), China. 2 Hiroshima Synchrotron Radiation Center, Hiroshima University, Japan

P02S Observation of spin-momentum-layer locking in a centrosymmetric crystal

K. Zhang, 1 S. Kumar, 2 E. F. Schwier, 2 K. Miyamoto, 2 T. Okuda, 2 K. Shimada, 2*

1 Graduate School of Science, Hiroshima University, Japan

2 Hiroshima Synchrotron Radiation Center, Hiroshima University, Japan

P03S Low-energy electron-boson coupling in Sr₂RuO₄

- S. Ozawa¹, H. Iwasawa^{2,3}, H. Oda¹, T. Yoshikawa¹, A. Kimura¹,
- M. Hashimoto⁴, D. Lu⁴, T. Muro⁵, Y. Yoshida⁶, I. Hase⁶, Y. Aiura⁴, S. Kumar³,
- K. Shimada³
 - 1 Graduate School of Science, Hiroshima University, Japan
 - 2 National Institute of Advanced Industrial Science and Technology, Japan
 - 3 Hiroshima Synchrotron Radiation Center, Hiroshima University, Japan
 - 4 Stanford Synchrotron Radiation Lightsource, USA
 - 5 Japan Synchrotron Radiation Research Institute, Japan
 - 6 National Institute of Advanced Industrial Science and Technology, Japan

P04S Optimization of self-energy in high-Tc cuprate superconductor La₂-xSrxCuO₄

- <u>H. Oda¹</u>, H. Iwasawa^{2,3}, T. Miyashita¹, S. Ozawa¹, A. Kimura¹, R. Yano⁴,
- S. Kashiwaya⁴, T. Sasagawa⁵, S. Kumar³, E. F. Schwier³, K. Shimada³
 - 1 Graduate School of Science, Hiroshima University, Japan
 - 2 National Institutes for Quantum and Radiological Science and Technology, Japan
 - 3 Hiroshima Synchrotron Radiation Center, Hiroshima University, Japan
 - 4 Department of Applied Physics, Graduate School of Engineering, Nagoya University, Japan
 - 5 Materials and Structures Laboratory, Tokyo Institute of Technology, Japan

P05S Gap inhomogeneity in Bi₂Sr₂CaCu₂O₈+δ revealed by laser micro-ARPES

- T. Sugiyama¹, H. Iwasawa^{2,3}, S. Ozawa⁴, H. Oda⁴, T. Kono⁴, T. Okuda³,
- K. Miyamoto³, S. Ishida⁵, Y. Yoshida⁵, S. Eisaki⁵, A. Kimura^{1,2}
 - 1 Graduate School of Science, Hiroshima University, Japan
 - 2 National Institute of Advanced Industrial Science and Technology, Japan
 - 3 Hiroshima Synchrotron Radiation Center, Hiroshima University, Japan
 - 4 Graduate School of Science, Hiroshima University, Japan
 - 5 National Institute of Advanced Industrial Science and Technology, Japan

P06 Characterization of sp³ content in amorphous carbon films

- Y. Muraoka¹, T. Wakita¹, T. Yokoya¹
 - 1 Research Institute for Interdisciplinary Science, Okayama University, Japan

P07 Current activities of research and education on BL-5 (FY2020)

- T. Yokoya^{1,2}, T. Wakita², Y. Muraoka^{1,2}
 - 1 Graduate School of Natural Science and Technology, Okayama University, Japan
 - 2 Research Institute for Interdisciplinary Science, Okayama University

P08 Origins of Thermal Spin Depolarization in Half-Metallic Ferromagnet CrO₂

- H. Fujiwara¹, K. Terashima², M. Sunagawa¹, Y. Yano¹, T. Nagayama¹,
- T. Fukura¹, F. Yoshii¹, Y. Matsuura¹, M. Ogata¹, <u>T. Wakita²</u>, K. Yaji³,
- A. Harasawa³, K. Kuroda³, S. Shin³, K. Horiba⁴, H. Kumigashira^{4,5}, Y. Muraoka^{1,2}, T. Yokoya^{1,2}
- - 1 Graduate School of Natural Science and Technology, Okayama University, Japan
 - 2 Research Institute for Interdisciplinary Science, Okayama University, Japan
 - 3 Institute for Solid State Physics, The University of Tokyo Japan
 - 4 Photon Factory, Institute of Materials Structure Science, High Energy Accelerator Research Organization (KEK), Japan
 - 5 Department of Physics, Tohoku University, Japan

P09 Electronic Structures and Chemical Natures of Inhomogeneous Gd-TM (TM = Co, Ni, and Cu) Metallic Glasses

- S. Hosokawa¹, J. R. Stellhorn², H. Sato³, J. Jiang⁴, H. Kato⁴
 - 1 Department of Physics, Kumamoto University, Japan
 - 2 Department of Applied Chemistry, Hiroshima University, Japan
 - 3 Hiroshima Synchrotron Radiation Center, Hiroshima University, Japan
 - 4 Institute for Materials Research, Tohoku University,

P10 ARPES study of the mechanically polished FeSi [001] surface

- M. Arita¹, S. F. Eike¹, H. Sato¹, K. Shimada¹, T. Kanomata²
- 1 Hiroshima Synchrotron Radiation Center, Hiroshima University, Japan
 - 2 Research Institute for Engineering and Technology, Tohoku Gakuin University, Japan

P11S Electronic Structures of Antiferromagnet CeCoSi Revealed by VUV-ARPES

- Y. Fukushima¹, T. Yoshikawa², T. Miyashita², K. Shiraishi³, M. Arita⁴,
- K. Mitsumoto⁵, H. Tanida⁵, A. Kimura^{1,2,3}
 - 1 Department of Physics, Faculty of Science, Hiroshima University, Japan
 - 2 Department of Physical Science, Graduate School of Science, Hiroshima University, Japan
 - 3 Graduate School of Advanced Science and Engineering, Hiroshima University, Japan
 - 4 Hiroshima Synchrotron Radiation Center, Hiroshima University, Japan
 - 5 Liberal Arts and Sciences, Toyama Prefectural University, Japan

P12S ARPES study of antiferromagnetic Euln₂As₂

- K. Shiraishi¹, M. Novak², T. Yoshikawa³, T. Kono³, S. Kumer⁴, K. Miyamoto⁴,
- T. Okuda⁴, E. F. Schwier⁴, M. Arita⁴, K. Shimada⁴, S. V. Eremeev⁵,
- A. Kimura^{1,3}
 - 1 Physics Program, Graduate School of Advanced Science and Engineering, Hiroshima Univ.,
 - 2 Department of Physics, Faculty of Science, Unversity of Zagreb, Croatia
 - 3 Department of Physics, Graduate School of Science, Hiroshima Univ., Japan
 - 4 Hiroshima Synchrotron Radiation Center, Hiroshima Univ., Japan
 - 5 Institute of Strength Physics and Materials Science, Tomsk state Univ., Russia

P13S Spin-polarized band structures of Ga-rich Fe₃Ga film as a promising material for high thermoelectric performance

K. Ohwada¹, T. Kono², S. Ushio¹, K. Goto^{3,4}, K. Miyamoto⁶, T. Okuda⁶,

H. Nakayama⁵, Y. Sakuraba³, A. Kimura^{1,2,7}

- 1 Department of Physics, Faculty of Science, Hiroshima University, Japan
- 2 Department of Physical Sciences, Graduate School of Science, Hiroshima University, Japan
- 3 Research Center for Magnetic and Spintronic Materials, National Institute for Materials Science, Japan
- 4 International Center for Young Scientists, National Institute for Materials Science, Japan
- 5 Graduate School of Pure and Applied Sciences, University of Tsukuba, Japan
- 6 Hiroshima Synchrotron Radiation Center, Hiroshima University, Japan
- 7 Physics Program, Graduate School of Advanced Science and Engineering, Hiroshima University, Japan

P14S Evaluation of The Self-healing Bio-assisted Cement-treated Clay With XAFS

- S. Ikoma¹, J. Nakayenga¹, T. Hata¹, S. Hayakawa²
 - 1 Department of Civil and Environmental Engineering, Graduate School of Engineering, Hiroshima University, Japan
 - 2 Department of Applied Chemistry, Graduate School of Engineering, Hiroshima University, Japan

P15S Polarization dependent sulfur K-edge XAFS measurements of P3HT thin films for determination of film orientations with the improved sensitivity

<u>H. Yoshimoto</u>, J. R. Stellhorn, K. Komaguchi, S. Hayakawa Graduate School of Advanced Science and Engineering, Hiroshima University, Japan

P16 Structure of a novel amorphous organic-inorganic hybrid tin cluster exhibiting nonlinear optical effects by low-energy XAFS measurements

- J. R. Stellhorn¹, K. Yagi¹, S. Hayakawa¹, B. D. Klee², W.-C. Pilgrim²,
- S. Dehnen²
 - 1 Department of Applied Chemistry, Graduate School of Advanced Science and Engineering, Hiroshima University, Japan
 - 2 Department of Chemistry, Philipps University Marburg, Germany

P17S Circular Dichroism Study of Magainin 2-Membrane Interaction: Evidence for β -Strand Formation upon Membrane Association

M. Kumashiro¹, K. Matsuo²

- 1 Department of Physical Science, Graduate School of Science, Hiroshima University, Japan
- ² Hiroshima Synchrotron Radiation Center, Hiroshima University, Japan

P18 Study of Membrane-Bound Conformation and Pore Formation of Magainin2 using Vacuum-Ultraviolet Circular Dichroism Spectroscopy

R. Tsuji¹, M. Kumashiro², K. Matsuo³

- 1 Department of Physics, School of Science, Hiroshima University, Japan
- 2 Department of Physical Science, Graduate School of Science, Hiroshima University, Japan
- 3 Hiroshima Synchrotron Radiation Center, Hiroshima University, Japan

P19S Optical Activity Measurement of Amino Acid Films by Circular Dichroism Spectroscopy

T. Sakamoto¹, J. Takahashi¹, Y. Izumi², K. Matsuo², M. Fujimoto³,

M. Katoh^{2,3}, Y. Kebukawa¹, K. Kobayashi¹

- 1 Yokohama National University, Japan
- 2 Hiroshima University, Japan
- 3 Institute for Molecular Science, Japan

P20S Electronic Relaxation Process in Fluorinated Aromatic Monolayers Studied by Core-Excited Ion Desorption

K. Yamamoto¹, S. Wada^{2,3}

- 1 Graduate School of Science, Hiroshima University, Japan
- 2 Graduate School of Advanced Science and Engineering, Hiroshima University, Japan
- 3 Hiroshima Synchrotron Radiation Center, Hiroshima University, Japan

P21S Comparison of soft X-ray absorption spectra of transition metal sulfate

K. Baba¹, H. Yoshida^{1,2}

- 1 Graduate School of Advanced Science and Engineering, Hiroshima University, Japan 2 Hiroshima Synchrotron Radiation Center, Hiroshima University, Japan
- P22S Soft X-ray polarization measurement and evaluation at HiSOR BL-13 using electron orbitally oriented samples.

M. Tabuse¹, S. Wada^{1,2}

- 1 Graduate School of Advanced Science and Engineering, Hiroshima University, Japan 2 Hiroshima Synchrotron Radiation Center, Hiroshima University, Japan
- P23S Inner shell excitation spectroscopy of gold nanoparticles coated with aromatic molecules
 - S. Tendo¹, Y. Okada², S. Wada^{3,4}
 - 1 Graduate School of Science, Hiroshima University, Japan
 - 2 School of Science, Hiroshima University, Japan
 - 3 Graduate School of Advanced Science and Engineering, Hiroshima University, Japan
 - 4 Hiroshima Synchrotron Radiation Center, Hiroshima University, Japan

P24S Splitting of Dirac band on Cr₂O₃/Graphene/Ni(111)

X. Hou¹, M. Sawada², S. Kumar², K. Shimada²

- 1 Graduate School of Science, Hiroshima University, Japan
- 2 Hiroshima Synchrotron Radiation Center, Hiroshima University, Japan

P25S Antiferromagnetic interlayer coupling of Co/h-BN/Fe ultrathin multilayers studied by soft X-ray magnetic circular dichroism

T. Mayumi¹, W. Nishizawa¹, M. Sawada²

- 1 Graduate School of Science, Hiroshima University, Japan
- 2 Hiroshima Synchrotron Radiation Center, Hiroshima University, Japan

P26S Growth mode and interface structure of Co ultrathin films evaporated on h-BN/Ni(111)

W. Nishizawa¹, T. Mayumi¹, M. Sawada²

- 1 Faculty of Science, Hiroshima University, Japan
- 2 Graduate School of Science, Hiroshima University, Japan
- 3 Hiroshima Synchrotron Radiation Center, Hiroshima University, Japan

P27S High-resolution ARPES of heavily overdoped Bi2201: evaluation of coupling parameters

- Y. Miyai¹, K. Ishiba², Shiv Kumar³, T. Kurosawa⁴, M. Oda², K. Shimada³
 - 1 Graduate School of Science, Hiroshima University, Japan
 - 2 Factory of Science, Hiroshima University, Hiroshima University, Japan
 - 3 Hiroshima Synchrotron Radiation Center, Hiroshima University, Japan
 - 4 Department of Physics, Hokkaido University, Japan

P28S Topological Surface State in Sb, Te, and Se Based Single Crystals

<u>A. Kumar¹</u>, S. Kumar¹, G. Govindhan², A. Kumar², A. B. Govindan², K. Shimada¹

- 1 Hiroshima Synchrotron Radiation Center, Hiroshima University, Japan
- 2 Department of Physics, SSN College of Engineering, India